

## MYSORE DISTRICT.

*Notice dated 26th February 1913.*

The "Dodda Jatra" of Sri Srikantesvaraswami at Nanjangud will take place on the 20th March 1913, and, as usual, there may be a large concourse of people. As cholera has broken out at Nanjangud in a virulent form, the pilgrims are hereby warned that they run the risk of catching the infection, if they visit the place during the jatra occasion.

K. CHANDY,  
*Deputy Commissioner.*

## HASSAN DISTRICT.

*Notification dated 1st March 1913.*

It is hereby notified for the information of the public that the 1st class travellers' bungalows at the places mentioned below will not be available for use on the dates noted against each on account of the Dewan Sahib's tour through this district:—

\*Saklespur 14th to 16th March 1913.

Hassan } 16th March 1913.  
Arsikere }

P. R. W. WETHERALL,  
*Deputy Commissioner and President.*

## KADUR DISTRICT.

*Notice dated Chikmagalur, 25th February 1913.*

It is hereby notified for the information of the public that the travellers' bungalows noted below will be closed to the public on the dates noted against them on account of the Dewan's tour in the district:—

1. Travellers' bungalow at Koppa from 9th to 12th March. (Both days inclusive.)
2. Do at Mudgere from 13th and 14th March 1913.
3. Do at Yedahalli, on 11th March 1913.

A. SUBRAMANYA IYER,  
*Deputy Commissioner.*

## OFFICE OF CHIEF ELECTRICAL ENGINEER, BANGALORE.

*Abstract Notification.*

It is hereby notified that sealed tenders will be received at the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 24th March 1913, for collecting about 15,000 cubic yards of broken granite for Bangalore Electric Tramways.

For further particulars, *vide* page 346 of Part II of the *Mysore Gazette*, dated 6th March 1913.

C. F. BEAMES,  
*Chief Electrical Engineer to the Government of Mysore.*

## TUMKUR DIVISION.

*Notice dated 24th February 1913.*

The attention of the public is invited to the notification published in the *Mysore Gazette* dated 20th February 1913, calling for tenders for Restoring Puravara Suppadevarakere tank, Regd. No. 229, Maddagiri Taluk, Tumkur District.

K. PONNAPPA,  
*Executive Engineer.*

*Dated 4th March 1913.*

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 20th March 1913, for improving the Nandihalli tank, Regd. No. 163 and excavating a feeder channel therefrom to Maidala Amanikere, Registered No. 155, Tumkur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1914.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at any day between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the Nandihalli tank, Registered No. 163 and excavating a feeder channel to Maidala Amanikere, Registered No. 155, Tumkur Taluk;" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate of the probable quantity for raising the weir of Nandihalli tank Registered No. 163 for feeding Maidala tank, Registered No. 155 of Tumkur Taluk.

| Items   | Per          | Quantity |
|---|--------------|----------|
| <b>NANDIHALLI TANK.</b>   |              |          |
| 1. Earthwork to bund  | C. yd.       | 7,326    |
| 2. Do breach filling  | "            | 1,427    |
| 3. Turfing  | S. yd.       | 6,360    |
| 4. New stone work   | C. yd.       | 1,656    |
| 5. Old do   | "            | 304      |
| 6. Gravel backing behind revetment  | "            | 965      |
| 7. Removing and refixing old grade stones including cutting figures and painting                    | Each         | 10       |
| 8. New grade stones including cutting figures and painting  | "            | 9        |
| 9. New index stones   | "            | 19       |
| 10. B. M. stones  | "            | 2        |
| 11. Register No. stones   | "            | 1        |
| 12. Gauge stone   | "            | 1        |
| 13. Stepping bund to receive new earthwork and the soil available may be used for bund filling rear | Grade        | 19       |
| 14. Removing silt in breach and baling water  | Lump sum Rs. |          |
| <b>SLUICE.</b>  |              |          |
| 15. Repairs to existing sluice  | Lump sum Rs. |          |
| <b>WASTE WEIR, 80 FEET LONG AT R. L. 103'00.</b>  |              |          |
| 16. Earthwork   | C. yd.       | 284      |
| 17. Burnt stone in surki mortar   | C. ft.       | 1,987    |
| 18. Burnt stone slabs with one line dressing  | S. ft.       | 355      |
| 19. Cement pointing   | Sq.          | 3'61     |
| 20. Rough stone work  | C. yd.       | 186      |

#### FEDDER CHANNEL.

*Constructing a regulating sluice of 2 vents of 4' x 3' to feed Maidala tank.*

|  |              |       |
|--|--------------|-------|
| 21. Earthwork excavation   | Lump sum Rs. |       |
| 22. Burnt stone in surki mortar  | C. ft.       | 3,615 |
| 23. Cut stone arch work in cement  | "            | 16    |
| 24. Burnt stone slabs with one line dressing   | S. ft.       | 629   |
| 25. Groove slabs including cutting grooves   | C. ft.       | 11    |
| 26. Surki concrete   | "            | 317   |
| 27. Cement pointing  | Sq.          | 11'27 |
| 28. Cutting grooves in slabs for shutters work   | Lump sum Rs. |       |
| 29. Cornice work   | R. ft.       | 32    |
| 30. Teakwood beam including fixing with holding down bolts and tarring                                   | C. ft.       | 12    |
| 31. Teakwood shutters 3" thick with iron fittings and 2" diameter gear rod with painting, etc., complete | Each         | 2     |
| 32. Stone revetment for training bank  | C. yd.       | 60    |
| 33. Forming training bank  | Lump sum Rs. |       |



| Items.  | Per.         | Quantity. |
|---|--------------|-----------|
| FEEDER CHANNEL TO MAIDALA TANK.                                   |              |           |
| 34. Hard or gravelly soil and soft rock, etc. ...                 | C. yd.       | 23,112    |
| CHANNEL.  |              |           |
| 35. Turfing channel bank ...                                      | S. yd.       | 5,830     |
| 36. Removing boulders, etc., in 3rd furlong ...                   | Lump sum Rs. |           |
| 37. Clearing jungle in the channel bank ...                       |              |           |
| 38. Mile and zero stones ...                                      | Each "       | 2         |
| 39. Furlong stones ...  |              | 13        |
| 40. Blastering rock, etc., if found in the channel at tail end... | Lump sum Rs. |           |
| MASONRY DROPS.  |              |           |
| 41. Earthwork excavation ...                                      | Lump sum Rs. |           |
| 42. Burnt stone in surki mortar ...                               | C. ft.       | 314       |
| 43. Burnt stone slabs one line dressing ...                       | S. ft.       | 75        |
| 44. Rough stone work ...  | C. yd.       | 26        |
| 45. Pointing with cement ...                                      | Sqr.         | 2'00      |
| 46. Five more of the same (masonry drops) ...                     |              |           |
| RELIEVING WEIR No. 1.   |              |           |
| 47. Earthwork ...   | Lump sum Rs. |           |
| 48. Burnt stone in surki mortar ...                               | C. ft.       | 432       |
| 49. Burnt stone slabs with one line dressing ...                  | S. ft.       | 135       |
| 50. Rough stone work ...  | C. yd.       | 72        |
| 51. Pointing with cement ...                                      | Sqr.         | 1'00      |
| 52. Relieving weir No. 2 as per above details ...                 |              |           |
| RELIEVING WEIR No. 3.   |              |           |
| 53. Earthwork ...   | Lump sum Rs. |           |
| 54. Burnt stone in surki mortar ...                               | C. ft.       | 932       |
| 55. Burnt stone slabs with one line dressing ...                  | S. ft.       | 346       |
| 56. Pointing with cement ...                                      | Sqr.         | 4'00      |
| 57. Rough stone work, new ...                                     | C. yd.       | 171       |
| MASONRY WALL AT END OF CHANNEL.                                   |              |           |
| 58. Burnt stone in surki mortar ...                               | C. ft.       | 45        |
| 59. Slab stone coping with one line dressing ...                  | S. ft.       | 15        |

C. VIJAYARANGAM NAIDU,  
Offg. Executive Engineer.

#### MYSORE DIVISION.

Dated 4th March 1913.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Mysore Division, up to 30th March 1913; for filling foundations and basement of the proposed General Hospital at Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1913.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore, between the hours of 11 A.M. and 3-30 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees five hundred in cash or Government promissory notes as earnest money, and be superscribed "Tender for filling in foundation and basement of the proposed General Hospital at Mysore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice-board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any consideration.